

LANDSCAPE SCHEDULE					
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	REMARKS
<b>SHADE TREES(S)</b>					
ARAF	199	ACER RUBRUM 'AUTUMN FLAME'	AUTUMN FLAME RED MAPLE	2 1/2'-3' CAL.	B+B
AS	46	ACER SACCHARUM	SUGAR MAPLE	2 1/2'-3' CAL.	B+B
QP	73	QUERCUS PALUSTRIS	PIN OAK	2 1/2'-3' CAL.	B+B
QR	16	QUERCUS RUBRA	RED OAK	2 1/2'-3' CAL.	B+B
TCG	22	TILIA CORDATA 'GREEN SPIRE'	GREEN SPIRE LINDEN	2 1/2'-3' CAL.	B+B
ZS	5	ZELKOVA SERRATA 'GREEN VASE'	GREEN VASE ZELKOVA	2 1/2'-3' CAL.	B+B
SUBTOTAL: 363					
<b>ORNAMENTAL TREES(S)</b>					
MA	24	MAGNOLIA ACUMINATA	CUCUMBER TREE	8-10'	B+B
MS	27	MALUS SARGENTII	SARGENT CRABAPPLE	2 1/2' 12' CAL.	B+B
SUBTOTAL: 51					
<b>EVERGREEN TREES(S)</b>					
PIAB	57	PICEA ABIES	NORWAY SPRUCE	6-7'	B+B
PIO	61	PICEA ORIENTALIS 'GRACILIS'	ORIENTAL SPRUCE	6-7'	B+B
PM	59	PSEUDOTSUGA MENDESII	DOUGLAS FIR	6-7'	B+B
PN	53	PINUS NIGRA	AUSTRIAN PINE	6-7'	B+B
SUBTOTAL: 230					

COVENANTS TO BE RECORDED HEREWITH.  
 APPROVED \_\_\_\_\_ SUBJECT TO COVENANT  
 CONDITIONS SET FORTH IN A COVENANT EXECUTED BY  
 \_\_\_\_\_ DATED \_\_\_\_\_  
 AND TO BE RECORDED HEREWITH.

I, TOWN CLERK OF THE TOWN OF NORFOLK,  
 RECEIVED AND RECORDED FROM THE ZONING  
 BOARD OF APPEALS APPROVAL OF THIS PLAN AND  
 NO APPEAL HAS BEEN TAKEN FOR TWENTY DAYS  
 NEXT AFTER RECEIPT AND RECORDING OF SAME.


TOWN CLERK \_\_\_\_\_ DATE \_\_\_\_\_

I DECLARE THAT THIS PLAN HAS BEEN  
 PREPARED IN CONFORMITY WITH THE  
 RULES AND REGULATIONS OF THE  
 REGISTERS OF DEEDS OF THE  
 COMMONWEALTH OF MASSACHUSETTS

FOR REGISTRY USE ONLY

DATE	FIELD BY:	INT.
2/14	FIELD BOOK	KK
BK#	FIELD BOOK	PG#
9/16	CALCS BY:	RRG
9/16	DESIGNED BY:	RRG
9/16	DRAWN BY:	COMP
9/16	CHECKED BY:	CAQ

GRAPHIC SCALE



DATE	DESCRIPTION	BY

LEGEND

- PROPOSED STREET TREES
- PROPOSED SHADE TREES
- PROPOSED FLOWERING TREES
- PROPOSED EVERGREEN TREES
- PROPOSED SPECIAL PAVING
- PROPOSED SEEDED LAWN
- PROPOSED BASIN MIX
- PROPOSED CONSERVATION MIX
- PROPOSED PERENNIAL PLANTING
- PROPOSED SHRUB PLANTING
- PROPOSED TREE LINE
- PROPOSED STREET LIGHTING
- PROPOSED MAILBOX
- PROPOSED GAZEBO
- ABBYVILLE COMMONS

NORFOLK ZONING BOARD OF APPEALS

DATE APPROVED \_\_\_\_\_  
 DATE ENDORSED \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

THE PRESERVE AT ABBYVILLE  
 & ABBYVILLE COMMONS  
 LANDSCAPE MASTER PLAN  
 NORFOLK, MASSACHUSETTS  
 FOR  
 ABBYVILLE RESIDENTIAL, LLC.  
 850 FRANKLIN STREET  
 WRENTHAM, MASSACHUSETTS  
 DATE: MARCH 15, 2017  
 SCALE: 1" = 120'

**M.J. MRVA**  
 REGISTERED  
 LANDSCAPE ARCHITECT  
 MASSACHUSETTS No. 1217  
 RHODE ISLAND No. 419  
 NEW YORK No. 002359  
 NEW HAMPSHIRE No. 109  
 CONNECTICUT No. 1359

LANDSCAPE ARCHITECT  
  
**BOHLER ENGINEERING**  
 353 TURNPIKE ROAD  
 SOUTHBOROUGH, MA  
 Phone: (508) 480-9900

**UNITED CONSULTANTS INC.**  
 850 FRANKLIN STREET SUITE 11D  
 WRENTHAM, MASSACHUSETTS 02093  
 508-384-6560 FAX 508-384-6566

DATE	SEPT 26, 2016
SCALE	1" = 120'
PROJECT	UC987
SHEET	

COVENANTS TO BE RECORDED HEREWITH.

APPROVED \_\_\_\_\_ SUBJECT TO COVENANT  
 CONDITIONS SET FORTH IN A COVENANT EXECUTED  
 BY \_\_\_\_\_ DATED  
 AND TO BE RECORDED HEREWITH.

I TOWN CLERK OF THE TOWN OF NORFOLK,  
 RECEIVED AND RECORDED FROM THE ZONING  
 BOARD OF APPEALS APPROVAL OF THIS PLAN AND  
 NO APPEAL HAS BEEN TAKEN FOR TWENTY DAYS  
 NEXT AFTER RECEIPT AND RECORDING OF SAME.

TOWN CLERK \_\_\_\_\_ DATE \_\_\_\_\_

I DECLARE THAT THIS PLAN HAS BEEN  
 PREPARED IN CONFORMITY WITH THE  
 RULES AND REGULATIONS OF THE  
 REGISTERS OF DEEDS OF THE  
 COMMONWEALTH OF MASSACHUSETTS

FOR REGISTRY USE ONLY

DATE	FIELD BY:	INT.
2/14	FIELD BOOK	KK
9/16	CALCS BY:	RRG
9/16	DESIGNED BY:	RRG
9/16	DRAWN BY:	COMP
9/16	CHECKED BY:	CAQ

GRAPHIC SCALE


DATE	DESCRIPTION	BY

NORFOLK ZONING BOARD  
 OF APPEALS

DATE APPROVED \_\_\_\_\_

DATE ENDORSED \_\_\_\_\_

THE PRESERVE AT ABBYVILLE  
 LANDSCAPE MASTER PLAN  
 NORFOLK, MASSACHUSETTS  
 FOR  
 ABBYVILLE RESIDENTIAL, LLC.  
 850 FRANKLIN STREET  
 WRENTHAM, MASSACHUSETTS  
 DATE: MARCH 15, 2017  
 SCALE: 1" = 120'



LANDSCAPE SCHEDULE


KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	REMARKS
DECIDUOUS SHRUB(S)					
IV	12	ITEA VIRGINICA 'HENRY'S GARNET'	GARNET SWEETSPICE	24-30"	#5 CAN
SUBTOTAL:	12				
EVERGREEN SHRUB(S)					
RKDWW	48	RHOODOENDRON X KURUME 'DELAWARE VALLEY WHITE'	'DELAWARE VALLEY WHITE' AZALEA	18-24"	#3 CAN
SUBTOTAL:	48				
ORNAMENTAL GRASSES(S)					
MSM	14	MISCANTHUS SINENSIS 'MALEPARTUS'	MALEPARTUS MAIDEN GRASS	2 GAL.	CONTAINER
SUBTOTAL:	14				

1 BOATHOUSE PLAN ENLARGEMENT

L-3 SCALE: 1" = 20'




DATE	MAR. 15, 2017
SCALE	1" = 20'
PROJECT	UC987
SHEET	L-3 OF 7




LANDSCAPE SCHEDULE					
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	REMARKS
EVERGREEN TREES(S)					
PSL	1	PNUS SYLVESTRIS	SCOTCH PINE	5-6'	B-B
SUBTOTAL: 1					
DECIDUOUS SHRUB(S)					
CCBM	3	CARYOPTERIS X CLANDONENSIS 'BLUE MIST'	BLUE MIST SPIREA	18-24"	#3 CAN
SBG	4	SPRAEA X BUMALDA 'GOLDFLAME'	GOLD FLAME SPIREA	15-18"	#3 CAN
SUBTOTAL: 7					
EVERGREEN SHRUB(S)					
BK	8	BUXUS KOREANA	KOREAN BOXWOOD	30-36"	B-B
MD	7	MICROBIOTA DECUSSATA	RUSSIAN ARBORVITAE	18-24"	#3 CAN
RGHS	8	RHOODODENDRON X GIRARD 'GIRARD HOT SHOT'	GIRARD HOT SHOT AZALEA	18-24"	#3 CAN
SUBTOTAL: 23					
PERENNIAL(S)					
RK	9	ROSA 'KNOCKOUT'	KNOCKOUT ROSE	2 GAL.	CONTAINER
SUBTOTAL: 9					
ORNAMENTAL GRASSES(S)					
PAH	10	PENNISETUM ALOPECUROIDES 'HAMELY'	DWARF FOUNTAIN GRASS	2 GAL.	CONTAINER
SUBTOTAL: 10					

1 PROTOTYPICAL SIMPLEX UNIT PLAN ENLARGEMENT  
L-4 SCALE: 1" = 20'



LANDSCAPE SCHEDULE					
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	REMARKS
DECIDUOUS SHRUB(S)					
CCBM	6	CARYOPTERIS X CLANDONENSIS 'BLUE MIST'	BLUE MIST SPIREA	18-24"	#3 CAN
HMB	4	HYDRANGEA MACROPHYLLA 'NIKKO BLUE'	NIKKO BLUE HORTENSIA HYDRANGEA	18-24"	#3 CAN
SBG	6	SPRAEA X BUMALDA 'GOLDFLAME'	GOLD FLAME SPIREA	15-18"	#3 CAN
SUBTOTAL: 16					
EVERGREEN SHRUB(S)					
BK	6	BUXUS KOREANA	KOREAN BOXWOOD	30-36"	B-B
MD	12	MICROBIOTA DECUSSATA	RUSSIAN ARBORVITAE	18-24"	#3 CAN
SUBTOTAL: 18					
PERENNIAL(S)					
RK	16	ROSA 'KNOCKOUT'	KNOCKOUT ROSE	2 GAL.	CONTAINER
SUBTOTAL: 16					
ORNAMENTAL GRASSES(S)					
PAH	14	PENNISETUM ALOPECUROIDES 'HAMELY'	DWARF FOUNTAIN GRASS	2 GAL.	CONTAINER
SUBTOTAL: 14					

2 PROTOTYPICAL ATTACHED UNIT PLAN ENLARGEMENT  
L-4 SCALE: 1" = 20'



LANDSCAPE SCHEDULE					
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	REMARKS
EVERGREEN SHRUB(S)					
JCSG	376	JUNIPERUS CHINENSIS 'SEA GREEN'	SEA GREEN JUNIPER	24-30" SPRED.	B-B
SUBTOTAL: 376					

3 HILLSIDE PLAN ENLARGEMENT  
L-4 SCALE: 1" = 30'

COVENANTS TO BE RECORDED HERewith.

APPROVED \_\_\_\_\_ SUBJECT TO COVENANT CONDITIONS SET FORTH IN A COVENANT EXECUTED BY \_\_\_\_\_ DATED \_\_\_\_\_ AND TO BE RECORDED HERewith.

I TOWN CLERK OF THE TOWN OF NORFOLK, RECEIVED AND RECORDED FROM THE ZONING BOARD OF APPEALS APPROVAL OF THIS PLAN AND NO APPEAL HAS BEEN TAKEN FOR TWENTY DAYS NEXT AFTER RECEIPT AND RECORDING OF SAME.

TOWN CLERK \_\_\_\_\_ DATE \_\_\_\_\_

I DECLARE THAT THIS PLAN HAS BEEN PREPARED IN CONFORMITY WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS

FOR REGISTRY USE ONLY

DATE	FIELD BY:	INT.
2/14	FIELD BOOK	KK
BK#	CALCS BY:	RRG
9/16	DESIGNED BY:	RRG
9/16	DRAWN BY:	COMP
9/16	CHECKED BY:	CAQ

GRAPHIC SCALE

DATE	DESCRIPTION	BY

NORFOLK ZONING BOARD OF APPEALS

DATE APPROVED \_\_\_\_\_  
DATE ENDORSED \_\_\_\_\_

THE PRESERVE AT ABBYVILLE  
LANDSCAPE MASTER PLAN  
NORFOLK, MASSACHUSETTS  
FOR  
ABBYVILLE RESIDENTIAL, LLC.  
850 FRANKLIN STREET  
WRENTHAM, MASSACHUSETTS  
DATE: MARCH 15, 2017  
SCALE: 1" = 120'

**M.J. MRVA**  
REGISTERED  
LANDSCAPE ARCHITECT  
MASSACHUSETTS No. 1217  
RHODE ISLAND No. 419  
NEW YORK No. 002359  
NEW HAMPSHIRE No. 109  
CONNECTICUT No. 1359

LANDSCAPE ARCHITECT  
**BOHLER ENGINEERING**  
352 TURNPIKE ROAD  
SOUTHBOROUGH, MA  
Phone: (508) 480-9900

**UNITED CONSULTANTS INC.**  
850 FRANKLIN STREET SUITE 11D  
WRENTHAM, MASSACHUSETTS 02093  
508-384-6560 FAX 508-384-6566

DATE	MAR. 15, 2017
SCALE	AS NOTED
PROJECT	UC987
SHEET	L-4 OF 7




COVENANTS TO BE RECORDED HEREWITH.  
 APPROVED \_\_\_\_\_ SUBJECT TO COVENANT  
 CONDITIONS SET FORTH IN A COVENANT EXECUTED BY  
 \_\_\_\_\_ DATED \_\_\_\_\_  
 AND TO BE RECORDED HEREWITH.

I TOWN CLERK OF THE TOWN OF NORFOLK,  
 RECEIVED AND RECORDED FROM THE ZONING  
 BOARD OF APPEALS APPROVAL OF THIS PLAN AND  
 NO APPEAL HAS BEEN TAKEN FOR TWENTY DAYS  
 NEXT AFTER RECEIPT AND RECORDING OF SAME.

TOWN CLERK \_\_\_\_\_ DATE \_\_\_\_\_

I DECLARE THAT THIS PLAN HAS BEEN  
 PREPARED IN CONFORMITY WITH THE  
 RULES AND REGULATIONS OF THE  
 REGISTERS OF DEEDS OF THE  
 COMMONWEALTH OF MASSACHUSETTS

FOR REGISTRY USE ONLY



**1521 OMEGA SERIES** **SPECIFICATIONS**

**GENERAL**  
 1521 Omega R and F series are full on-off fluorescent downlight fixtures having a spun aluminum ball-shaped shade that is available in round or flared edge. Attached to the upper portion of the spun aluminum ball shade is an aluminum casting which acts as a means of coupling the fixture to an assortment of arms. All fixtures have sealed and vented optics and are available with flat, egg, clear or frosted glass.

**BALLAST HOUSING**  
 The ballast is housed in the upper section of the spun aluminum shade and is easily accessible by means of a ball-rod screw. The ball-rod may be detached from the fixture after removal of 4-2 screws, lock washer and snapping two sets of electrical quick disconnect components.

**ELECTRICAL**  
 The fixture shall be E.S. or E.T.S. listed. Ballasts shall be high power factor with long running time to 30 degrees F. Ballast and integral protection within an ACV rated. The ballast may be connected to the lamp socket and may supply the quick disconnect connectors for ease of replacement. CEI optics shall be supplied with a 4 pin socket to accept quad or single pin lamps. The CEI ballast system provides 1-10 times the life of HID lamps and provides instant on feature similar. Ballasts shall be CEI E-18A compliant.

**FIXTURE ASSEMBLY**  
 The 1521 fixture shall be made of spun aluminum and having an outside diameter of 12 1/2" or height 12 1/2". Ball-rod screw allows easy access to lamp and ballast. A spring type latch allows access to lamp compartment and ballast only. Two decorative shades are available, either round (R) or flared (F). An optional hemisphere (H) is available to mount a pendant fixture installation even with selected foundations.

**LENSES**  
 The luminaires shall be standardly supplied with a clear tempered flat glass (CTFG) lens or with optional clear egg glass (CEG), frosted tempered flat glass (FTFG), clear, FFG and FFG lenses change the appearance, output of the luminaire and are recommended for use with only Type 1 distribution.


**OPTICAL OPTIONS**  
 NICHESKY'S STAR-SHIELD® Reflector Optics distribution shall be delivered by hydrothermal roof mounted reflector system which alternates uplight and provide full cut-off. The reflector cavity shall be made of specular anodized aluminum. Flat lens models provide full cut-off performance. Reflector Optics are available in Type 2 (R/C2H), Type 3 (R/C3H) and Type 4 (R/C4H) horizontal.

LIST NO. 1521 OMEGA SERIES



DATE	FIELD BY:	INT.
2/14	FIELD BOOK	KK
BK#	FIELD BOOK	PG#
9/16	CALCS BY:	RRG
9/16	DESIGNED BY:	RRG
9/16	DRAWN BY:	COMP
9/16	CHECKED BY:	CAQ

GRAPHIC SCALE



DATE	DESCRIPTION	BY

NORFOLK ZONING BOARD OF APPEALS

DATE APPROVED \_\_\_\_\_

DATE ENDORSED \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

THE PRESERVE AT ABBYVILLE  
 & ABBYVILLE COMMONS  
 LANDSCAPE MASTER PLAN  
 NORFOLK, MASSACHUSETTS  
 FOR  
 ABBYVILLE RESIDENTIAL, LLC.  
 850 FRANKLIN STREET  
 WRENTHAM, MASSACHUSETTS  
 DATE: MARCH 15, 2017  
 SCALE: 1" = 120'

**M.J. MRVA**  
 REGISTERED  
 LANDSCAPE ARCHITECT  
 MASSACHUSETTS No. 1217  
 RHODE ISLAND No. 419  
 NEW YORK No. 002559  
 NEW HAMPSHIRE No. 109  
 CONNECTICUT No. 1359

LANDSCAPE ARCHITECT

**BOHLER ENGINEERING**  
 303 TURNPIKE ROAD  
 SOUTHBOROUGH, MA  
 Phone: (508) 480-9900

**UNITED CONSULTANTS INC.**  
 850 FRANKLIN STREET SUITE 11D  
 WRENTHAM, MASSACHUSETTS 02093  
 508-384-6560 FAX 508-384-6566

DATE	MAR. 15, 2017
SCALE	1" = 120'
PROJECT	UC987
SHEET	L-5 OF 7



CUSTOM CRS

STRUCTURE #1




CUSTOM 28' X 48' T-SHAPED GABLE ROOF SHELTER


STRUCTURE #2



DOCK



FIRE PIT



PAVERS

COVENANTS TO BE RECORDED HERewith.  
 APPROVED \_\_\_\_\_ SUBJECT TO COVENANT CONDITIONS SET FORTH IN A COVENANT EXECUTED BY \_\_\_\_\_ DATED \_\_\_\_\_ AND TO BE RECORDED HERewith.

I TOWN CLERK OF THE TOWN OF NORFOLK, RECEIVED AND RECORDED FROM THE ZONING BOARD OF APPEALS APPROVAL OF THIS PLAN AND NO APPEAL HAS BEEN TAKEN FOR TWENTY DAYS NEXT AFTER RECEIPT AND RECORDING OF SAME.

TOWN CLERK \_\_\_\_\_ DATE \_\_\_\_\_

I DECLARE THAT THIS PLAN HAS BEEN PREPARED IN CONFORMITY WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS

FOR REGISTRY USE ONLY

DATE	FIELD BY:	INT.
2/14	FIELD BOOK	KK
9/16	CALCS BY:	RRG
9/16	DESIGNED BY:	RRG
9/16	DRAWN BY:	COMP
9/16	CHECKED BY:	CAQ

DATE	DESCRIPTION	BY

NORFOLK ZONING BOARD OF APPEALS

DATE APPROVED \_\_\_\_\_

DATE ENDORSED \_\_\_\_\_

THE PRESERVE AT ABBYVILLE & ABBYVILLE COMMONS  
 LANDSCAPE MASTER PLAN  
 NORFOLK, MASSACHUSETTS  
 FOR  
 ABBYVILLE RESIDENTIAL, LLC.  
 850 FRANKLIN STREET  
 WRENTHAM, MASSACHUSETTS  
 DATE: MARCH 15, 2017  
 SCALE: 1" = 120'

**M.J. MRVA**  
 REGISTERED LANDSCAPE ARCHITECT  
 MASSACHUSETTS No. 1217  
 RHODE ISLAND No. 419  
 NEW YORK No. 002359  
 NEW HAMPSHIRE No. 109  
 CONNECTICUT No. 1359

LANDSCAPE ARCHITECT

**BOHLER ENGINEERING**  
 353 TURNPIKE ROAD  
 SOUTHBOROUGH, MA  
 Phone: (508) 480-9900

**UNITED CONSULTANTS INC.**  
 850 FRANKLIN STREET SUITE 11D  
 WRENTHAM, MASSACHUSETTS 02093  
 508-384-6560 FAX 508-384-6566

DATE	MAR. 15, 2017
SCALE	N.T.S.
PROJECT	UC987
SHEET	L-6 OF 7

# LANDSCAPE SPECIFICATIONS

**1. SCOPE OF WORK**  
THE LANDSCAPE CONTRACTOR SHALL BE REQUIRED TO PERFORM ALL CLEARING, FINISHED GRADING, SOIL PREPARATION, PERMANENT SEEDING OR SODDING, PLANTING AND MULCHING INCLUDING ALL LABOR, MATERIALS, TOOLS AND EQUIPMENT NECESSARY FOR THE COMPLETION OF THIS PROJECT, UNLESS OTHERWISE CONTRACTED BY THE GENERAL CONTRACTOR.

**2. MATERIALS**  
A. GENERAL - ALL HARDSCAPE MATERIALS SHALL MEET OR EXCEED SPECIFICATIONS AS OUTLINED IN THE STATE DEPARTMENT OF TRANSPORTATIONS SPECIFICATIONS.  
B. TOPSOIL - NATURAL, FRIABLE, LOAMY SILT SOIL HAVING AN ORGANIC CONTENT NOT LESS THAN 5%, A PH RANGE BETWEEN 4.5-7.0, IT SHALL BE FREE OF DEBRIS, ROCKS LARGER THAN ONE INCH (1"), WOOD, ROOTS, VEGETABLE MATTER AND CLAY CLODS.  
C. LAWN - ALL DISTURBED AREAS ARE TO BE TREATED WITH A MINIMUM 2" THICK LAYER OF TOPSOIL, OR AS DIRECTED BY THE LOCAL ORDINANCE OR CLIENT, AND SEEDED OR SODDED IN ACCORDANCE WITH THE PERMANENT STABILIZATION METHODS INDICATED ON THE LANDSCAPE PLAN.  
I. LAWN SEED MIXTURE SHALL BE FRESH, CLEAN NEW CROP SEED.  
II. SOD SHALL BE STRONGLY ROOTED, WEED AND DISEASE PEST FREE WITH A UNIFORM THICKNESS. SOD INSTALLED ON SLOPES GREATER THAN 4:1 SHALL BE RESEG TO HOLD SOD IN PLACE.  
D. MULCH - ALL PLANTING BEDS SHALL BE MULCHED WITH A 3" THICK LAYER OF DOUBLE SHREDDED HARDWOOD BARK MULCH, UNLESS OTHERWISE STATED ON THE LANDSCAPE PLAN AND/OR LANDSCAPE PLAN NOTES DETAILS.

**E. FERTILIZER**  
I. FERTILIZER SHALL BE DELIVERED TO THE SITE MIXED AS SPECIFIED IN THE ORIGINAL UNOPENED STANDARD BAGS SHOWING WEIGHT, ANALYSIS AND NAME OF MANUFACTURER.  
FERTILIZER SHALL BE STORED IN A WEATHERPROOF PLACE SO THAT IT CAN BE KEPT DRY PRIOR TO USE.  
II. FOR THE PURPOSE OF BIDDING, ASSUME THAT FERTILIZER SHALL BE 10% NITROGEN, 6% PHOSPHORUS AND 4% POTASSIUM BY WEIGHT. A FERTILIZER SHOULD NOT BE SELECTED WITHOUT A SOIL TEST PERFORMED BY A CERTIFIED SOIL LABORATORY.

**F. PLANT MATERIAL**  
I. ALL PLANTS SHALL IN ALL CASES CONFORM TO THE REQUIREMENTS OF THE "AMERICAN STANDARD FOR NURSERY STOCK" (ANSI Z60.1), LATEST EDITION, AS PUBLISHED BY THE AMERICAN NURSERY & LANDSCAPE ASSOCIATION (FORMERLY THE AMERICAN ASSOCIATION OF NURSERMEN).  
II. IN ALL CASES, BOTANICAL NAMES SHALL TAKE PRECEDENCE OVER COMMON NAMES FOR ANY AND ALL PLANT MATERIAL.  
III. PLANTS SHALL BE LEGIBLY TAGGED WITH THE PROPER NAME AND SIZE. TAGS ARE TO REMAIN ON AT LEAST ONE PLANT OF EACH SPECIES FOR VERIFICATION PURPOSES DURING THE FINAL INSPECTION.  
IV. TREES WITH ABRASION OF THE BARK, SUN SCALDS, DISFIGURATION OR FRESH CUTS OF LIMBS OVER 1/4", WHICH HAVE NOT BEEN COMPLETELY CALLED, SHALL BE REJECTED.  
PLANTS SHALL NOT BE BOUND WITH WIRE OR ROPE AT ANY TIME SO AS TO DAMAGE THE BARK OR BREAK BRANCHES.  
V. ALL PLANTS SHALL BE TYPICAL OF THEIR SPECIES OR VARIETY AND SHALL HAVE A NORMAL HABIT OF GROWTH, WELL DEVELOPED BRANCHES, DENSELY FOLIATED, VIGOROUS ROOT SYSTEMS AND BE FREE OF DISEASE, INSECTS, PESTS, EGGS OR LARVAE.  
VI. CALIPER MEASUREMENTS OF NURSERY GROWN TREES SHALL BE TAKEN AT A POINT ON THE TRUNK SIX INCHES (6") ABOVE THE NATURAL GRADE FOR TREES UP TO AND INCLUDING A FOUR INCH (4") CALIPER SIZE. IF THE CALIPER AT SIX INCHES (6") ABOVE THE GROUND EXCEEDS FOUR INCHES (4") IN CALIPER, THE CALIPER SHOULD BE MEASURED AT A POINT 12" ABOVE THE NATURAL GRADE.  
VII. SHRUBS SHALL BE MEASURED TO THE AVERAGE HEIGHT OR SPREAD OF THE SHRUB, AND NOT TO THE LONGEST BRANCH.  
VIII. TREES AND SHRUBS SHALL BE HANDLED WITH CARE BY THE ROOT BALL.

**3. GENERAL WORK PROCEDURES**  
A. CONTRACTOR TO UTILIZE WORKMANLIKE INDUSTRY STANDARDS IN PERFORMING ALL LANDSCAPE CONSTRUCTION. THE SITE IS TO BE LEFT IN A CLEAN STATE AT THE END OF EACH WORKDAY. ALL DEBRIS, MATERIALS AND TOOLS SHALL BE PROPERLY STORED, STOCKPILED OR DISPOSED OF.  
B. WASTE MATERIALS AND DEBRIS SHALL BE COMPLETELY DISPOSED OF AT THE CONTRACTOR'S EXPENSE. DEBRIS SHALL NOT BE BURIED, INCLUDING ORGANIC MATERIALS, BUT SHALL BE REMOVED COMPLETELY FROM THE SITE.

**4. SITE PREPARATIONS**  
A. BEFORE AND DURING PRELIMINARY GRADING AND FINISHED GRADING, ALL WEEDS AND GRASSES SHALL BE DUG OUT BY THE ROOTS AND DISPOSED OF IN ACCORDANCE WITH GENERAL WORK PROCEDURES OUTLINED HEREIN.  
B. ALL EXISTING TREES TO REMAIN SHALL BE PRUNED TO REMOVE ANY DAMAGED BRANCHES. THE ENTIRE LIMB OF ANY DAMAGED BRANCH SHALL BE CUT OFF AT THE BRANCH COLLAR. CONTRACTOR SHALL ENSURE THAT CUTS ARE SMOOTH AND STRAIGHT. ANY EXPOSED ROOTS SHALL BE CUT BACK WITH CLEAN, SHARP TOOLS AND TOPSOIL SHALL BE PLACED AROUND THE REMAINDER OF THE ROOTS. EXISTING TREES SHALL BE MONITORED ON A REGULAR BASIS FOR ADDITIONAL ROOT OR BRANCH DAMAGE AS A RESULT OF CONSTRUCTION. ROOTS SHALL NOT BE LEFT EXPOSED FOR MORE THAN ONE (1) DAY. CONTRACTOR SHALL WATER EXISTING TREES AS NEEDED TO PREVENT SHOCK OR DECLINE.  
C. CONTRACTOR SHALL ARRANGE TO HAVE A UTILITY STAKE-OUT TO LOCATE ALL UNDERGROUND UTILITIES PRIOR TO INSTALLATION OF ANY LANDSCAPE MATERIAL. UTILITY COMPANIES SHALL BE CONTACTED THREE (3) DAYS PRIOR TO THE BEGINNING OF WORK.  
D. AT NO TIME SHALL MACHINERY, DEBRIS, FALLEN TREES OR OTHER MATERIALS BE PLACED, STOCKPILED OR LEFT STANDING IN THE TREE PROTECTION ZONE.

**5. TREE PROTECTION**  
A. CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING TREES TO REMAIN. A TREE PROTECTION ZONE SHALL BE ESTABLISHED AT THE DRIP LINE OR AT THE LIMIT OF CONSTRUCTION DISTURBANCE, WHICHEVER IS GREATER. LOCAL STANDARDS THAT MAY REQUIRE A MORE STRICT TREE PROTECTION ZONE SHALL BE HONORED.  
B. A FORTY-EIGHT INCH (48") HIGH WOODEN SNOW FENCE OR ORANGE COLORED HIGH-DENSITY "YIP-FENCE", OR APPROVED EQUAL MOUNTED ON STEEL POSTS SHALL BE PLACED ALONG THE BOUNDARY OF THE TREE PROTECTION ZONE. POSTS SHALL BE LOCATED AT A MAXIMUM OF EIGHT FEET (8') ON CENTER OR AS INDICATED WITHIN THE TREE PROTECTION DETAIL.  
C. WHEN THE TREE PROTECTION FENCING HAS BEEN INSTALLED, IT SHALL BE INSPECTED BY THE APPROVING AGENCY PRIOR TO DEMOLITION, GRADING, TREE CLEARING OR ANY OTHER CONSTRUCTION. THE FENCING ALONG THE TREE PROTECTION ZONE SHALL BE REGULARLY INSPECTED BY THE LANDSCAPE CONTRACTOR AND MAINTAINED UNTIL ALL CONSTRUCTION ACTIVITY HAS BEEN COMPLETED.  
D. AT NO TIME SHALL MACHINERY, DEBRIS, FALLEN TREES OR OTHER MATERIALS BE PLACED, STOCKPILED OR LEFT STANDING IN THE TREE PROTECTION ZONE.

**6. SOIL MODIFICATIONS**  
A. CONTRACTOR SHALL OBTAIN A SOIL TEST FOR ALL AREAS OF THE SITE PRIOR TO CONDUCTING ANY PLANTING. SOIL TESTS SHALL BE PERFORMED BY A CERTIFIED SOIL LABORATORY.  
B. LANDSCAPE CONTRACTOR SHALL REPORT ANY SOIL OR DRAINAGE CONDITIONS CONSIDERED DETRIMENTAL TO THE GROWTH OF PLANT MATERIAL. SOIL MODIFICATIONS, AS SPECIFIED HEREIN, MAY BE REQUIRED BY THE LANDSCAPE CONTRACTOR DEPENDING ON SITE CONDITIONS.  
C. THE FOLLOWING AMENDMENTS AND QUANTITIES ARE APPROXIMATE AND ARE FOR BIDDING PURPOSES ONLY. COMPOSITION OF AMENDMENTS SHOULD BE REVISED DEPENDING ON THE OUTCOME OF A TOPSOIL ANALYSIS PERFORMED BY A CERTIFIED SOIL LABORATORY.  
I. TO INCREASE SANDY SOILS ABILITY TO RETAIN WATER AND NUTRIENTS, THOROUGHLY TILL ORGANIC MATTER INTO THE TOP 6"-12". USE COMPOSTED BARK, COMPOSTED LEAF MULCH OR PEAT MOSS. ALL PRODUCTS SHOULD BE COMPOSTED TO A DARK COLOR AND BE FREE OF PRECES WITH IDENTIFIABLE LEAF OR WOOD STRUCTURE. AVOID MATERIAL WITH A PH HIGHER THAN 7.5.  
II. TO INCREASE DRAINAGE, MODIFY HEAVY CLAY OR SILT (MORE THAN 40% CLAY OR SILT) BY ADDING COMPOSTED PINE BARK (UP TO 30% BY VOLUME) AND/OR AGRICULTURAL GYPSUM.  
COARSE SAND MAY BE USED IF ENOUGH IS ADDED TO BRING THE SAND CONTENT TO MORE THAN 60% OF THE TOTAL MIX. SUBSURFACE DRAINAGE LINES MAY BE ADDED TO INCREASE DRAINAGE.  
III. MODIFY EXTREMELY SANDY SOILS (MORE THAN 85%) BY ADDING ORGANIC MATTER AND/OR DRY, SHREDDED CLAY LOAM UP TO 30% OF THE TOTAL MIX.

**7. FINISHED GRADING**  
A. UNLESS OTHERWISE CONTRACTED, THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF TOPSOIL AND THE ESTABLISHMENT OF FINE-GRADING WITHIN THE DISTURBANCE AREA OF THE SITE.  
B. LANDSCAPE CONTRACTOR SHALL VERIFY THAT SUBGRADE FOR INSTALLATION OF TOPSOIL HAS BEEN ESTABLISHED. THE SUBGRADE OF THE SITE MUST MEET THE FINISHED GRADE LESS THE REQUIRED TOPSOIL THICKNESS (1"-1").  
C. ALL LAWN AND PLANTING AREAS SHALL BE GRADED TO A SMOOTH, EVEN AND UNIFORM PLANE WITH NO ABRUPT CHANGE OF SURFACE AS DEPICTED WITHIN THIS SET OF CONSTRUCTION PLANS, UNLESS OTHERWISE DIRECTED BY THE PROJECT ENGINEER OR LANDSCAPE ARCHITECT.  
D. ALL PLANTING AREAS SHALL BE GRADED AND MAINTAINED TO ALLOW FREE FLOW OF SURFACE WATER IN AND AROUND THE PLANTING BEDS. STANDING WATER SHALL NOT BE PERMITTED IN PLANTING BEDS.

**8. TOPSOILING**  
A. CONTRACTOR SHALL PROVIDE A 2" THICK MINIMUM LAYER OF TOPSOIL, OR AS DIRECTED BY THE LOCAL ORDINANCE OR CLIENT, IN ALL PLANTING AREAS. TOPSOIL SHOULD BE SPREAD OVER A PREPARED SURFACE IN A UNIFORM LAYER TO ACHIEVE THE DESIRED COMPACTED THICKNESS.  
B. ON-SITE TOPSOIL MAY BE USED TO SUPPLEMENT THE TOTAL AMOUNT REQUIRED. TOPSOIL FROM THE SITE MAY BE REJECTED IF IT HAS NOT BEEN PROPERLY REMOVED, STORED AND PROTECTED PRIOR TO CONSTRUCTION.  
C. CONTRACTOR SHALL FURNISH TO THE APPROVING AGENCY AN ANALYSIS OF BOTH IMPORTED AND ON-SITE TOPSOIL TO BE UTILIZED IN ALL PLANTING AREAS. THE PH AND NUTRIENT LEVELS MAY NEED TO BE ADJUSTED THROUGH SOIL MODIFICATIONS AS NEEDED TO ACHIEVE THE REQUIRED LEVELS AS SPECIFIED IN THE MATERIALS SECTION ABOVE.

D. ALL LAWN AREAS ARE TO BE CULTIVATED TO A DEPTH OF SIX INCHES (6"). ALL DEBRIS EXPOSED FROM EXCAVATION AND CULTIVATION SHALL BE DISPOSED OF IN ACCORDANCE WITH GENERAL WORK PROCEDURES SECTION ABOVE. THE FOLLOWING SHALL BE FILLED INTO THE TOP FOUR INCHES (4") IN TWO DIRECTIONS (QUANTITIES BASED ON A 1,000 SQUARE FOOT AREA - FOR BID PURPOSES ONLY [SEE SPECIFICATION 6.A.1]):  
I. 20 POUNDS 'GRO-POWER' OR APPROVED SOIL CONDITIONER/FERTILIZER  
II. 20 POUNDS NITRO-FORM (COURSE) 38-0-0 BLUE CHIP OR APPROVED NITROGEN FERTILIZER

E. THE SPREADING OF TOPSOIL SHALL NOT BE CONDUCTED UNDER MUDDY OR FROZEN CONDITIONS.

**9. PLANTING**  
A. INsofar THAT IT IS FEASIBLE, PLANT MATERIAL SHALL BE PLANTED ON THE DAY OF DELIVERY. IN THE EVENT THAT THIS IS NOT POSSIBLE, LANDSCAPE CONTRACTOR SHALL PROTECT UNINSTALLED PLANT MATERIAL. PLANTS SHALL NOT REMAIN UNPLANTED FOR LONGER THAN A THREE DAY PERIOD AFTER DELIVERY. PLANTS THAT WILL NOT BE PLANTED FOR A PERIOD OF TIME GREATER THAN THREE DAYS SHALL BE HEALED IN WITH TOPSOIL OR MULCH TO HELP PRESERVE ROOT MOISTURE.  
B. PLANTING OPERATIONS SHALL BE PERFORMED DURING PERIODS WITHIN THE PLANTING SEASON WHEN WEATHER AND SOIL CONDITIONS ARE SUITABLE AND IN ACCORDANCE WITH ACCEPTED LOCAL PRACTICE. PLANTS SHALL NOT BE INSTALLED IN TOPSOIL THAT IS IN A MUDDY OR FROZEN CONDITION.  
C. ANY INJURED ROOTS OR BRANCHES SHALL BE PRUNED TO MAKE CLEAN-CUT ENDS PRIOR TO PLANTING UTILIZING CLEAN, SHARP TOOLS. ONLY INJURED OR DISEASED BRANCHING SHALL BE REMOVED.  
D. ALL PLANTING CONTAINERS, BASKETS AND NON-BIODEGRADABLE MATERIALS SHALL BE REMOVED FROM ROOT BALLS DURING PLANTING. NATURAL FIBER BURLAP MUST BE CUT FROM AROUND THE TRUNK OF THE TREE AND FOLDED DOWN AGAINST THE ROOT BALL PRIOR TO BACKFILLING.  
E. POSITION TREES AND SHRUBS AT THEIR INTENDED LOCATIONS AS PER THE PLANS AND SECURE THE APPROVAL OF THE LANDSCAPE ARCHITECT PRIOR TO EXCAVATING PITS, MAKING NECESSARY ADJUSTMENTS AS DIRECTED.  
F. PRIOR TO THE ISSUANCE OF ANY CERTIFICATE OF OCCUPANCY, THE PROPOSED LANDSCAPE, AS SHOWN ON THE APPROVED LANDSCAPE PLAN, MUST BE INSTALLED, INSPECTED AND APPROVED BY THE APPROVING AGENCY. THE APPROVING AGENCY SHALL TAKE INTO ACCOUNT SEASONAL CONSIDERATIONS IN THIS REGARD AS FOLLOWS: THE PLANTING OF TREES, SHRUBS, VINES OR GROUND COVER SHALL OCCUR ONLY DURING THE FOLLOWING PLANTING SEASONS:  
I. PLANTS: MARCH 15 TO DECEMBER 15  
II. LAWN: MARCH 15 TO JUNE 15 OR SEPT. 1 TO DECEMBER 1  
PLANTINGS REQUIRED FOR A CERTIFICATE OF OCCUPANCY SHALL BE PROVIDED DURING THE NEXT APPROPRIATE SEASON AT THE MUNICIPALITY'S DISCRETION. CONTRACTOR SHOULD CONTACT APPROVING AGENCY FOR POTENTIAL SUBSTITUTIONS.  
G. FURTHERMORE, THE FOLLOWING TREE VARIETIES ARE UNUSUALLY SUSCEPTIBLE TO WINTER DAMAGE. WITH TRANSPLANT SHOCK AND THE SEASONAL LACK OF NITROGEN AVAILABILITY, THE RISK OF PLANT DEATH IS GREATLY INCREASED. IT IS NOT RECOMMENDED THAT THESE SPECIES BE PLANTED DURING THE FALL PLANTING SEASON:  
ACER RUBRUM PLATANUS X ACERIFOLIA  
BETULA VARIETIES POPULUS VARIETIES  
CORYLUS VARIETIES PRUNUS VARIETIES  
CRATAEGUS VARIETIES PYRUS VARIETIES  
KOELREUTERIA QUERCUS VARIETIES  
LIQUIDAMBAR STRYACIFLUA TILIA TOMENTOSA  
LIRIODENDRON TULIPIFERA ZELKOVA VARIETIES  
H. PLANTING PITS SHALL BE DUG WITH LEVEL BOTTOMS, WITH THE WIDTH TWICE THE DIAMETER OF ROOT BALL. THE ROOT BALL SHALL REST ON UNDISTURBED GRADE. EACH PLANT PIT SHALL BE BACKFILLED IN LAYERS WITH THE FOLLOWING PREPARED SOIL MIXED THOROUGHLY:  
I. 1 PART PEAT MOSS  
II. 1 PART COMPOSTED COW MANURE BY VOLUME  
III. 3 PARTS TOPSOIL BY VOLUME  
IV. 21 GRAMS 'AGRIFORM' PLANTING TABLETS (OR APPROVED EQUAL) AS FOLLOWS:  
A) 2 TABLETS PER 1 GALLON PLANT  
B) 3 TABLETS PER 5 GALLON PLANT  
C) 4 TABLETS PER 15 GALLON PLANT  
D) LARGER PLANTS: 2 TABLETS PER 1/2" CALIPER OF TRUNK.  
I. FILL PREPARED PITS AROUND BALL OF PLANT HALF-WAY AND INSERT PLANT TABLETS. COMPLETE BACKFILL AND WATER THOROUGHLY.  
J. ALL PLANTS SHALL BE PLANTED SO THAT THE TOP OF THE ROOT BALL, THE POINT AT WHICH THE ROOT FLARE BEGINS, IS SET AT GROUND LEVEL AND IN THE CENTER OF THE PIT. NO SOIL IS TO BE PLACED DIRECTLY ON TOP OF THE ROOT BALL.  
K. ALL PROPOSED TREES DIRECTLY ADJACENT TO WALKWAYS OR DRIVEWAYS SHALL BE PRUNED AND MAINTAINED TO A MINIMUM BRANCHING HEIGHT OF 7' FROM GRADE.  
L. GROUND COVER AREAS SHALL RECEIVE A 1/2" LAYER OF HUMUS RAKED INTO THE TOP 1" OF PREPARED SOIL PRIOR TO PLANTING. ALL GROUND COVER AREAS SHALL BE WEEDED AND TREATED WITH A PRE-EMERGENT CHEMICAL AS PER MANUFACTURER'S RECOMMENDATION.  
M. NO PLANT, EXCEPT GROUND COVERS, GRASSES OR VINES, SHALL BE PLANTED LESS THAN TWO FEET (2') FROM EXISTING STRUCTURES AND SIDEWALKS.  
N. ALL PLANTING AREAS AND PLANTING PITS SHALL BE MULCHED AS SPECIFIED HEREIN TO FILL THE ENTIRE BED AREA OR SAUCER. NO MULCH IS TO TOUCH THE TRUNK OF THE TREE OR SHRUB.  
O. ALL PLANTING AREAS SHALL BE WATERED IMMEDIATELY UPON INSTALLATION IN ACCORDANCE WITH THE WATERING SPECIFICATIONS AS LISTED HEREIN.


**10. TRANSPLANTING (WHEN REQUIRED)**  
A. ALL TRANSPLANTS SHALL BE DUG WITH INTACT ROOT BALLS CAPABLE OF SUSTAINING THE PLANT.  
B. IF PLANTS ARE TO BE STOCKPILED BEFORE REPLANTING, THEY SHALL BE HEALED IN WITH MULCH OR SOIL, ADEQUATELY WATERED AND PROTECTED FROM EXTREME HEAT, SUN AND WIND.  
C. PLANTS SHALL NOT BE DUG FOR TRANSPLANTING BETWEEN APRIL 10 AND JUNE 30.  
D. UPON REPLANTING, BACKFILL SOIL SHALL BE AMENDED WITH FERTILIZER AND ROOT GROWTH HORMONE.  
E. TRANSPLANTS SHALL BE GUARANTEED FOR THE LENGTH OF THE GUARANTEE PERIOD SPECIFIED HEREIN.  
F. IF TRANSPLANTS DIE, SHRUBS AND TREES LESS THAN SIX INCHES (6") DBH SHALL BE REPLACED IN KIND. TREES GREATER THAN SIX INCHES (6") DBH MAY BE REQUIRED TO BE REPLACED IN ACCORDANCE WITH THE MUNICIPALITY'S TREE REPLACEMENT GUIDELINES.

**11. WATERING**  
A. NEW PLANTINGS OR LAWN AREAS SHALL BE ADEQUATELY IRRIGATED BEGINNING IMMEDIATELY AFTER PLANTING. WATER SHALL BE APPLIED TO EACH TREE AND SHRUB IN SUCH MANNER AS NOT TO DISTURB BACKFILL AND TO THE EXTENT THAT ALL MATERIALS IN THE PLANTING HOLE ARE THOROUGHLY SATURATED. WATERING SHALL CONTINUE AT LEAST UNTIL PLANTS ARE ESTABLISHED.  
B. SITE OWNER SHALL PROVIDE WATER IF AVAILABLE ON SITE AT TIME OF PLANTING. IF WATER IS NOT AVAILABLE ON SITE, CONTRACTOR SHALL SUPPLY ALL NECESSARY WATER. THE USE OF WATERING BAGS IS RECOMMENDED FOR ALL NEWLY PLANTED TREES.  
C. IF AN IRRIGATION SYSTEM HAS BEEN INSTALLED ON THE SITE, IT SHALL BE USED TO WATER PROPOSED PLANT MATERIAL, BUT ANY FAILURE OF THE SYSTEM DOES NOT ELIMINATE THE CONTRACTOR'S RESPONSIBILITY OF MAINTAINING THE DESIRED MOISTURE LEVEL FOR VIGOROUS, HEALTHY GROWTH.

**12. GUARANTEE**  
A. THE LANDSCAPE CONTRACTOR SHALL GUARANTEE ALL PLANTS FOR A PERIOD OF 1 YEAR FROM APPROVAL OF LANDSCAPE INSTALLATION BY THE APPROVING AGENCY. CONTRACTOR SHALL SUPPLY THE OWNER WITH A MAINTENANCE BOND FOR TEN PERCENT (10%) OF THE VALUE OF THE LANDSCAPE INSTALLATION WHICH WILL BE RELEASED AT THE CONCLUSION OF THE GUARANTEE PERIOD AND WHEN A FINAL INSPECTION HAS BEEN COMPLETED AND APPROVED BY THE OWNER OR AUTHORIZED REPRESENTATIVE.  
B. ANY DEAD OR DYING PLANT MATERIAL SHALL BE REPLACED FOR THE LENGTH OF THE GUARANTEE PERIOD. REPLACEMENT OF PLANT MATERIAL SHALL BE CONDUCTED AT THE FIRST SUCCEEDING PLANTING SEASON. ANY DEBRIS SHALL BE DISPOSED OF OFF-SITE, WITHOUT EXCEPTION.  
C. TREES AND SHRUBS SHALL BE MAINTAINED BY THE CONTRACTOR DURING CONSTRUCTION AND THROUGHOUT THE 90 DAY MAINTENANCE PERIOD AS SPECIFIED HEREIN. CULTIVATION, WEEDING, WATERING AND THE PREVENTATIVE TREATMENTS SHALL BE PERFORMED AS NECESSARY TO KEEP PLANT MATERIAL IN GOOD CONDITION AND FREE OF INSECTS AND DISEASE.  
D. LAWNS SHALL BE MAINTAINED THROUGH WATERING, FERTILIZING, WEEDING, MOWING, TRIMMING AND OTHER OPERATIONS SUCH AS ROLLING, REGARDING AND REPLACING AS REQUIRED TO ESTABLISH A SMOOTH, ACCEPTABLE LAWN, FREE OF ERODED OR BARE AREAS.  
E. UPON THE COMPLETION OF ALL LANDSCAPE INSTALLATION AND BEFORE THE FINAL ACCEPTANCE, THE CONTRACTOR SHALL REMOVE ALL UNUSED MATERIALS, EQUIPMENT AND DEBRIS FROM THE SITE. ALL PAVED AREAS ARE TO BE CLEANED.  
B. THE SITE SHALL BE CLEANED AND LEFT IN A NEAT AND ACCEPTABLE CONDITION AS APPROVED BY THE OWNER OR AUTHORIZED REPRESENTATIVE.


**14. MAINTENANCE (ALTERNATIVE BID)**  
A. 90 DAY MAINTENANCE PERIOD SHALL COMMENCE AT THE END OF ALL LANDSCAPE INSTALLATION OPERATIONS. THE 90 DAY MAINTENANCE PERIOD ENSURES TO THE OWNER/OPERATOR THAT THE NEWLY INSTALLED LANDSCAPING HAS BEEN MAINTAINED AS SPECIFIED ON THE APPROVED LANDSCAPE PLAN. ONCE THE INITIAL 90 DAY MAINTENANCE PERIOD HAS EXPIRED, THE OWNER/OPERATOR MAY REQUEST THAT BIDDERS SUBMIT AN ALTERNATE MAINTENANCE BID FOR A MONTHLY MAINTENANCE CONTRACT. THE ALTERNATE MAINTENANCE CONTRACT WILL ENCOMPASS ANY WORK THAT IS CONSIDERED APPROPRIATE TO ENSURE THAT PLANT AND LAWN AREAS ARE HEALTHY AND MANICURED TO THE APPROVAL OF THE OWNER/OPERATOR.

**NOTES:**  
1.) NO SOIL OR MULCH SHALL BE PLACED AGAINST ROOT COLLAR OF PLANT.  
2.) REMOVE ALL NON-BIODEGRADABLE MATERIAL AND ROPE FROM TRUNK & TOP OF ROOT BALL. FOLD BURLAP BACK 1/3 FROM ROOT BALL.  
3.) PLANTING DEPTH SHALL BE THE SAME AS GROWN IN NURSERY.  
4.) THOROUGHLY SOAK THE TREE ROOT BALL AND ADJACENT PREPARED SOIL SEVERAL TIMES DURING THE FIRST MONTH AFTER PLANTING AND REGULARLY THROUGHOUT THE FOLLOWING TWO SUMMERS.  
5.) THE BOTTOM OF PLANTING PIT EXCAVATIONS SHOULD BE ROUGH TO AVOID MATTING OF SOIL LAYERS AS NEW SOIL IS ADDED. IT IS PREFERABLE TO TILL THE FIRST LIFT (2 TO 3 IN.) OF PLANTING SOIL INTO THE SUBSOIL.  
6.) REFER TO THE CHART "GENERAL RANGE OF SOIL MODIFICATIONS & VOLUMES FOR VARIOUS SOIL CONDITIONS" TO DETERMINE MINIMUM WIDTH OF PREPARED SOIL IN.  
7.) SUBSTITUTE AEROSOLIZED STAKING SYSTEM WHEN SPECIFIED.




## TREE PLANTING DETAIL

N.T.S.




## SHRUB PLANTING DETAIL

N.T.S.




## GROUND COVER PLANTING

N.T.S.



## BIOBARRIER ROOT BARRIER DETAIL

N.T.S.



## TREE PLANTING DETAIL - ON SLOPE

N.T.S.

COVENANTS TO BE RECORDED HEREWITH.

APPROVED \_\_\_\_\_ SUBJECT TO COVENANT CONDITIONS SET FORTH IN A COVENANT EXECUTED BY \_\_\_\_\_ DATED \_\_\_\_\_ AND TO BE RECORDED HEREWITH.

I TOWN CLERK OF THE TOWN OF NORFOLK, RECEIVED AND RECORDED FROM THE ZONING BOARD OF APPEALS APPROVAL OF THIS PLAN AND NO APPEAL HAS BEEN TAKEN FOR TWENTY DAYS NEXT AFTER RECEIPT AND RECORDING OF SAME.

TOWN CLERK \_\_\_\_\_ DATE \_\_\_\_\_

I DECLARE THAT THIS PLAN HAS BEEN PREPARED IN CONFORMITY WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS OF THE COMMONWEALTH OF MASSACHUSETTS

FOR REGISTRY USE ONLY

DATE	FIELD BY:	INT.
2/14	FIELD BOOK	KK
BK#	FIELD BOOK	PG#
9/16	CALCS BY:	RRG
9/16	DESIGNED BY:	RRG
9/16	DRAWN BY:	COMP
9/16	CHECKED BY:	CAQ

DATE	DESCRIPTION	BY

### NORFOLK ZONING BOARD OF APPEALS

DATE APPROVED \_\_\_\_\_  
DATE DROWN \_\_\_\_\_

THE PRESERVE AT ABBYVILLE & ABBYVILLE COMMONS LANDSCAPE MASTER PLAN NORFOLK, MASSACHUSETTS FOR ABBYVILLE RESIDENTIAL, LLC. 850 FRANKLIN STREET WRENTHAM, MASSACHUSETTS DATE: MARCH 15, 2017 SCALE: 1" = 120'

## HYDROSEED SPECIFICATIONS

- PRIOR TO SEEDING, AREA IS TO BE TOPSOILED, FINE GRADED, AND RAKED OF ALL DEBRIS LARGER THAN 2" DIAMETER.
- PRIOR TO SEEDING, CONSULT MANUFACTURER'S RECOMMENDATIONS AND INSTRUCTIONS.
- SEEDING RATES:
  - PERENNIAL RYEGRASS 1/2 LB/1000 SQ FT
  - KENTUCKY BLUEGRASS 1 LB/1000 SQ FT
  - RED FESCUE 1/2 LB/1000 SQ FT
  - SPREADING FESCUE 1/2 LB/1000 SQ FT
  - FERTILIZER (16-32-16) 2 LB/1000 SQ FT
  - LIQUID LIME 1 GAL/800 GAL
  - TANK TACKIFIER 35 LB/800 GAL
  - TANK FIBER MULCH 30 LB/1000 SQ FT
- GERMINATION RATES WILL VARY AS TO TIME OF YEAR FOR SOWING. CONTRACTOR TO IRRIGATE SEEDED AREA UNTIL AN ACCEPTABLE STAND OF COVER IS ESTABLISHED BY OWNER.

## CONSERVATION SEED MIX SPECIFICATIONS

WEBSITE: WWW.NEWP.COM  
APPLICATION RATE: 2LB/50 SQ FT | 1750 SQ FT | MINIMUM ORDER: 2 LBS  
SPECIES: VIRGINIA WILD RYE, (ELYMUS VIRGINICUS), LITTLE BLUESTEM, (SCHIZACHYRIUM SCOPARIUM), BIG BLUESTEM, (ANDROPOGON GERARDII), CREEPING RED FESCUE, (FESTUCA RUBRA), SWITCH GRASS, (PANICUM VIRGATUM), PARTRIDGE PEA, (CHAMAECRISTA FASCICULATA), DEER TONGUE, (PANICUM CLANDESTINUM), INDIAN GRASS, (SORGHASTRUM NUTANS), OX EYE SUNFLOWER, (HELIPHYS HELIANTHOIDES), COMMON MILKWEED, (ASCLEPIAS SYRIACA), SPOTTED JOE PIE WEEED, (EUPATORIUM MACULATUM), GRASS LEAVED GOLDENROD, (EUTHAMIA GRAMINIFOLIA), BLUE VERVAIN, (VERBENA HASTATA), NEW ENGLAND ASTER, (ASTER NOVAE-ANGLIAE), EARLY GOLDENROD, (SOLIDAGO JUNCEA).

## BASIN SEED MIX SPECIFICATIONS

WEBSITE: WWW.NEWP.COM  
APPLICATION RATE: 1 LB | 1250 SQ. FT. | (35 LBS./ACRE)  
SPECIES: VIRGINIA WILD RYE, (ELYMUS VIRGINICUS), CREEPING RED FESCUE, (FESTUCA RUBRA), LITTLE BLUESTEM, (SCHIZACHYRIUM SCOPARIUM), BIG BLUESTEM, (ANDROPOGON GERARDII), FOX SEDGE, (CAREX VULPINOIDEA), SWITCH GRASS, (PANICUM VIRGATUM), ROUGH BENTGRASS, (AGROSTIS SCABRA), NEW ENGLAND ASTER, (ASTER NOVAE-ANGLIAE), BONESET, (EUPATORIUM PERFORIATUM), GRASS LEAVED GOLDENROD, (EUTHAMIA GRAMINIFOLIA), GREEN BURLUSH, (SORPUS ATROVIRENS), BLUE VERVAIN, (VERBENA HASTATA), SOFT RUSH, (JUNCUS EFFUSUS), WOOL GRASS, (SORPUS CYPERINUS).

### M.J. MRVA

REGISTERED  
LANDSCAPE ARCHITECT

MASSACHUSETTS No. 1217  
RHODE ISLAND No. 419  
NEW YORK No. 002359  
NEW HAMPSHIRE No. 109  
CONNECTICUT No. 1359

LANDSCAPE ARCHITECT

### M.J. MRVA

REGISTERED  
LANDSCAPE ARCHITECT

MASSACHUSETTS No. 1217  
RHODE ISLAND No. 419  
NEW YORK No. 002359  
NEW HAMPSHIRE No. 109  
CONNECTICUT No. 1359

LANDSCAPE ARCHITECT

### BOHLER ENGINEERING

303 TURNPIKE ROAD  
SOUTHBOURGH, MA  
Phone: (508) 480-9900

### UNITED CONSULTANTS INC.

850 FRANKLIN STREET SUITE 11D  
WRENTHAM, MASSACHUSETTS 02093  
508-384-6560 FAX 508-384-6566

DATE	SCALE	PROJECT	SHEET
MAR. 15, 2017	N.T.S.	UC987	L-7 OF 7